



NOTE:

- 1) Level VI Efficiency Switching Power Supply
- 2) Case cover & chassis material: SE-1/PC BLACK
- 3) AC PIN MATERIAL: BRASS (Ni PLATED)
- 4) ROHS
- 5) Satin Finish

Electrical Specification

Input:

Rate Input Voltage: 100-240VAC
 Operating Range: 90-264VAC
 Rated Input Current: 0.18A Max.
 Rated Input Frequency: 50/60Hz ± 3Hz
 Maximum Input Power: 7.27W
 Input Current (No Load): ≤ 20mA
 Power Cons. (No Load): Max. 0.1W

Output:

Voltage: 9VDC
 Minimum Load Current: 0.01A
 Rated Load Current: 0.6A
 Output Power: 5.4W



Dimensions:

55.1 x 24.1 x 35.49 mm

Weight:

70 g (Max.)

Operating Temperature:

0°C ~ 40°C

Storage Temperature:

-20°C ~ 80°C

Operating Humidity:

10% ~ 90% (Non Condensing)

NOTE: (unit:mm)

- 1). WIRE TYPE: VW-1 80°C 300V L=6FT(1830mm) 2468 22AWG 2C BLACK+WHITE
 BLACK and WHITE----Positive BLACK----Negative
- 2). THE POLARITY:
- 3). ROHS

TITLE SWITCHING POWER SUPPLY		SCALE
9VDC / 600mA		NTS
DRAWING NO.	68-9006PS	
		UNITS mm
FILE NAME	68-9006PS.pdf	SHEET 1/1



Mode Electronics Part Number 68-9006PS-1